

BS4483 英国标准 BRITISH STANDARD

REF	PITCH OF WIRES		DIAMETER OF WIRE		CROSS SECTION AREA		MASS	NO.OF SHEETS
NO.	间距mm		线材直径mm		横截面积 mm ²		单位质量	PERTON
编号	long 纵	Cross 横	long 纵	Cross 横	long 纵	Cross 横	kg/m ²	每吨网片数
Sqaure Mesh								
A393	200	200	10	10	393	393	6.16	15
A252	200	200	8	8	252	252	3.95	22
A193	200	200	7	7	193	193	3.02	29
A142	200	200	6	6	142	142	2.22	40
A98	200	200	5	5	98	98	1.54	57
Structural Mesh								
B1131	100	200	12	8	1131	252	10.90	8
B785	100	200	10	8	785	252	8.14	11
B503	100	200	8	8	503	252	5.93	15
B385	100	200	7	7	385	193	4.53	20
B283	100	200	6	7	283	193	3.73	24
B196	100	200	5	7	196	193	3.05	29
Long Mesh								
C785	100	400			10	6	785	70.8 6.72 13
C636	100	400			9	6	636	70.8 5.55 16
C503	100	400			8	5	503	49.0 4.34 21
C385	100	400			7	5	386	49.0 3.41 26
C283	100	400			6	5	283	49.0 2.61 34
Wrapping Mesh								
D98	200	200			5	5	98	98.0 1.5457
D49	100	100			2.5	2.5	49	49.0 0.77113