





A Professional woven wire mesh manufacturer Since 1992

Chao Yue Metal Wire Mesh Co.,Ltd

Our company have stainless steel woven wire mesh products, the weaving type: plain weave, twill weave, palin dutch weave, twilled dutch weave.



Plain weave



ChaoYue Metal Wire Mesh Co., Ltd. manufacturing plain weaving mesh specification as follows:

Stainless Steel Woven Wire Mesh (Plain Weave)						
mesh/inch	wire diameter (mm)	aperture (mm)	mesh/inch	wire diameter (mm)	aperture (mm)	material
2mesh	1.8	10.9	60mesh	0.15	0.273	304, 304L, 316, 316L
3mesh	1.6	6.866	70mesh	0.14	0.223	
4mesh	1.2	5.15	80mesh	0.12	0.198	
5mesh	0.91	4.17	90mesh	0.11	0.172	
6mesh	0.8	3.433	100mesh	0.1	0.154	
8mesh	0.6	2.575	120mesh	0.08	0.132	
10mesh	0.55	1.99	140mesh	0.07	0.111	
12mesh	0.5	1.616	150mesh	0.065	0.104	
14mesh	0.45	1.362	160mesh	0.065	0.094	
16mesh	0.4	1.188	180mesh	0.053	0.088	
18mesh	0.35	1.06	200mesh	0.053	0.074	
20mesh	0.3	0.97	250mesh	0.04	0.061	
26mesh	0.28	0.696	300mesh	0.035	0.049	
30mesh	0.25	0.596	325mesh	0.03	0.048	
40mesh	0.21	0.425	350mesh	0.03	0.042	
50mesh	0.19	0.318	400mesh	0.025	0.0385	

Chao Yue Metal Wire Mesh Co.,Ltd

Wanggezhuang Developing Area Anping County Hebei Province China

Tel : +86 318 528 8511 Fax : +86 318 759 5668

Email: info@cymetalmesh.com sales@cymetalmesh.com

wiremesh@cymetalmesh.com URL: <http://www.cymetalmesh.com>



A Professional woven wire mesh manufacturer Since 1992

Chao Yue Metal Wire Mesh Co.,Ltd



Twill Weave

Chao Yue Metal Wire Mesh Co., Ltd. manufacturing plain weaving mesh specification as follows:

Mesh Count Warp x Weft	Wire Dia mm	Aperture mm	Micron Rating
100 x 100	0.1250	0.1295	130
120 x 120	0.0939	0.1168	117
165x 165	0.0482	0.1041	104
200 x 200	0.0584	0.0685	68
250 x 250	0.0533	0.0482	48
300 x 300	0.0355	0.0482	48
300 x 300	0.0400	0.0431	45
325 x 325	0.0355	0.0406	41
350 x 350	0.0304	0.0431	43
400 x 400	0.0304	0.0330	33
500 x 500	0.0254	0.0253	25
Technical Note: 1,Standard roll width of stainless steel wire mesh, twill weave:1m or 48" 2,Standard roll length of stainless steel wire mesh, twill weave:30m or 100' 3,Wire material of stainless steel wire mesh, twill weave: AISI 304 or 316			

Chao Yue Metal Wire Mesh Co.,Ltd

Wanggezhuang Developing Area Anping County Hebei Province China

Tel : +86 318 528 8511 Fax : +86 318 759 5668


Email:info@cymetalmesh.com sales@cymetalmesh.com

wiremesh@cymetalmesh.com URL: <http://www.cymetalmesh.com>



A Professional woven wire mesh manufacturer Since 1992

Chao Yue Metal Wire Mesh Co.,Ltd




Plain Dutch Weave



Twill Dutch Weave

ChaoYue Metal Wire Mesh Co., Ltd. manufacturing dutch weaving mesh specification as follows:

Mesh	Wire Dia. (MM)	Material(AISI)
12meshX64mesh	0.58/0.40	304 or 316
24meshX110mesh	0.36/0.25	304 or 316
14meshX88mesh	0.50/0.33	304 or 316
30meshX150mesh	0.18/0.14	304 or 316
40meshX200mesh	0.14/0.11	304 or 316
50meshX250mesh	0.10/0.071	304 or 316
80meshX700mesh	0.06/0.05	304 or 316
165meshX800mesh	0.071/0.040	304 or 316
165meshX1400mesh	0.05/0.032	304 or 316
200meshX1800mesh	0.05/0.03	304 or 316
325meshX2300mesh	0.030/0.025	316L
400meshX2800mesh	0.030/0.02	316L



ChaoYue Metal Wire Mesh Co.,Ltd

Wanggezhuang Develping Area Anping County Hebei Province China

Tel : +86 318 528 8511 Fax : +86 318 759 5668

Email:info@cymetalmesh.com sales@cymetalmesh.com

wiremesh@cymetalmesh.com URL: <http://www.cymetalmesh.com>